



JBL-S is a range of enclosed corrosion proof luminaires with a unique opal prismatic diffuser which optimizes the light distribution from the **LED** modules. They are a good replacement for any standard electronic ballast luminaires. They are available in 600mm, 1200mm and 1500mm bodies. The use of **LED**'s gives a reduction in maintenance costs. The **JBL-S** is ideally suited for applications with demanding requirements.

APPLICATIONS

- Warehouse lighting
- Industrial lighting
- Storage lighting



AGENTS

Western Cape
Matelec.
rushana@matelec.co.za

KZN
Afrilite
afrilite@rnweb.co.za

Eastern Cape
Farad Agencies
farad@iafrica.com

Vaal Triangle
Lighting 2000
drew@lighting2000.co.za

Lighting 2020
nunnsc@gmail.com


PML (Moz.)
baptista.homo@pierlite.co.mz

Purcee Industrial Controls
patnck@purcee.net

Body: DMC, glass fibre reinforced polyester compression moulded.

Control Gear: constant current driver. Constant current driver is provided to ensure that the operation of the LED modules is not affected by fluctuation of high voltages and ambient temperatures.

Dimming options available on request



Cable entry: Two 20 mm diameter cable entries are provided for through wiring. Plugs are supplied for blanking off. Glands are not provided.

Emergency Version: The luminaire is suited for use as a self-contained LED emergency lighting luminaire.

Lens: Injection moulded opaque for LED strips with linear internal prism.

Rated life: 50000 hr. for LED strips


Clips: Stainless steel vandal proof for JBL-S.

LED MODULES


Catalogue No.	Wattage (W)	L (mm)	W (mm)	H (mm)	Lumen Output
JBLS 600-80-500mA	26W	700	172	115	3172
JBLS 600-80-350mA	36W	700	172	115	4356
JBLS 1200-160-500mA	52W	1310	172	115	6344
JBLS 1200-160-350mA	72W	1310	172	115	8784
JBLS 1500-200-500mA	64W	1610	172	115	7808
JBLS 1500-200-350mA	90W	1610	172	115	10980

Photometric Data


JBLS – 600



JBLS – 1200



JBLS – 1500



BD-PFC-002-F7 Rev. 1 (Oct. 2016)

Nordland reserves the right to change any specification or design without prior notice